



MOTOR DATA SHEET

MOTOR PART CODE:

132.043TECCB35-IE3

FRAME SIZE:

315M-4

| | 50Hz |
|-----------------------|-----------------|
| Output (kW) | 132 |
| Rotation Speed (rpm) | 1480 |
| Voltage | 400/690 |
| Full Load Current (A) | 226.47 130.75 |
| Full Load Torque (Nm) | 851.8 |

| | 60Hz |
|-----------------------|-----------------|
| Output (kW) | 158.4 |
| Rotation Speed (rpm) | 1776 |
| Voltage | 480 828 |
| Full Load Current (A) | 226.47 130.75 |
| Full Load Torque (Nm) | 709.83 |

Efficiency Data

| 100% | 75% | 50% |
|------|------|-----|
| 95.6 | 95.8 | 95 |

| | |
|--------------------|--------------|
| Factory Reference | T3C 315M-4 |
| Tst/Tn (times) | 2.2 |
| Tmax/Tn | 2.6 |
| Noise (dB) | 93 |
| Moment of inertia | 4.29667 |
| Type of feet | Fixed feet |
| Protection | IP55 |
| Rotation Direction | F / R |
| Cable Glands | 2 - M63× 1.5 |
| Paint Colour | RAL 7024 |
| Efficiency | IE3 |
| Bearing (DE) | NU319 C3 |

| | |
|---------------------|----------------|
| Power Factor (cos) | 0.88 |
| Tmin/Tn | 1.5 |
| Ist/In (Times) | 9 |
| Net Weight (Kg) | 1155 |
| Housing material | Cast Iron |
| Insulation Class | F |
| Thermal Protection | PTC 140°C |
| Duty Cycle | S1 |
| Cooling | IC411 |
| Ambient Temperature | -20°C to +40°C |
| Bearing Brand | NSK |
| Bearing (NDE) | 6319 C3 |

Motors designed and manufactured in accordance with:

**IEC 60034
IEC 60038
IEC 60072
2014/30/EU (EMC)
2014/35/EU (LVD)
2011/65/EU (RoHS 2)**

www.tecmotors.co.uk

TEC Electric Motors Ltd. reserves the right to amend or change motor designs or data sheet information